

THE ASTROPHYSICAL JOURNAL
CONTENTS OF VOLUME 392, PART 1

1992 JUNE 10, Number 1

| | <i>Page</i> | <i>Fiche</i> |
|--|-------------|--------------|
| THE GRAVITY-INDUCED QUASI-GAUSSIAN CORRELATION HIERARCHY <i>Francis Bernardeau</i> | 1 | 101-B1 |
| He I ABSORPTION BY LYMAN-ALPHA CLOUDS AND LOW-REDSHIFT LYMAN-ALPHA CLOUDS <i>Jordi Miralda-Escudé & Jeremiah P. Ostriker</i> | 15 | 101-C1 |
| HRCam SURVEY FOR CLOSELY SPACED GRAVITATIONAL LENSES <i>David Crampton, Robert D. McClure, & J. Murray Fletcher</i> | 23 | 101-C10 |
| THE HUBBLE CONSTANT FROM NICKEL RADIOACTIVITY IN TYPE Ia SUPERNOVAE <i>David Branch</i> | 35 | 101-D9 |
| MERGING IN COSMIC STRUCTURES <i>A. Cavaliere, S. Colafrancesco, & N. Menci</i> | 41 | 101-E1 |
| RAM-PRESSURE CONFINEMENT OF A HYPERSONIC JET <i>Chris Loken, Jack O. Burns, David A. Clarke, & Michael L. Norman</i> | 54 | 101-F1 |
| A LOWER CUTOFF IN VELOCITY DISTRIBUTION: IS IT A THREAT TO DYNAMICAL FRICTION? <i>Ran Zamir</i> | 65 | 101-G1 |
| NEUTRINO EMISSIVITY OF AN ULTRARELATIVISTIC PLASMA FROM POSITRON AND PLASMINO ANNIHILATION <i>Eric Braaten</i> | 70 | 101-G7 |
| FROM FAIRALL 9 TO HIGH- <i>z</i> OBJECTS: PATTERN OF CHANGE IN IONIZATION STRUCTURE <i>Wei Zheng, Li-Zhi Fang, & Luc Binette</i> | 74 | 102-A1 |
| A MODEL OF THE GALACTIC DARK HALO <i>E. R. Wollman</i> | 80 | 102-A8 |
| EVOLVING, DYNAMICAL MODELS FOR COLLAPSED-CORE GLOBULAR CLUSTERS: M15 AND NGC 6624 <i>Robert P. Grabhorn, Haldan N. Cohn, Phyllis M. Lugger, & Brian W. Murphy</i> | 86 | 102-B1 |
| INCORPORATION OF DENSITY FLUCTUATIONS INTO PHOTOIONIZATION CALCULATIONS <i>Robert E. Williams</i> | 99 | 102-C1 |
| DYNAMICS OF FRONTS IN THERMALLY BISTABLE FLUIDS <i>Christian Elphick, Oded Regev, & Nir Shaviv</i> | 106 | 102-C9 |
| HYDRODYNAMIC INSTABILITIES IN SUPERNOVA REMNANTS: SELF-SIMILAR DRIVEN WAVES <i>Roger A. Chevalier, John M. Blondin, & Robert T. Emmering</i> | 118 | 102-D9 |
| COMPLETING THE EVOLUTION OF SUPERNOVA REMNANTS AND THEIR BUBBLES <i>Jonathan D. Slavin & Donald P. Cox</i> | 131 | 102-E9 |
| STRUCTURE AND KINEMATICS OF THE HH 111 JET <i>Bo Reipurth, A. C. Raga, & Steve Heathcote</i> | 145 | 102-F10 |
| LITHIUM ABUNDANCES IN CLASSICAL AND WEAK T TAURI STARS <i>Antonio Magazzù, Rafael Rebolo, & Yakov V. Pavlenko</i> | 159 | 103-A1 |
| A MEASUREMENT OF THE PRIMORDIAL HELIUM ABUNDANCE USING μ CASSIOPEIAE <i>James W. Haywood, Dennis J. Hegyi, & Donald H. Gudehus</i> | 172 | 103-B1 |
| SEARCH FOR SOFT GAMMA REPEATERS IN THE SMM/HXRBS DATA <i>C. Kouveliotou, J. P. Norris, K. S. Wood, T. L. Cline, B. R. Dennis, U. D. Desai, & L. E. Orwig</i> | 179 | 103-B9 |

| | Page | Fiche |
|---|------|---------|
| LINE PROFILE ASYMMETRIES IN CHROMOSPHERICALLY ACTIVE STARS <i>Robert C. Dempsey, Bernard W. Bopp, Klaus G. Strassmeier, Arno F. Granados, Gregory W. Henry, & Douglas S. Hall</i> | 187 | 103-C5 |
| Ha OBSERVATIONS OF EARLY-TYPE STARS <i>S. Scuderi, G. Bonanno, R. Di Benedetto, D. Spadaro, & N. Panagia</i> | 201 | 103-D7 |
| ON THE INTERPRETATION OF THE SPECTRUM OF FU ORIONIS <i>P. P. Petrov & G. H. Herbig</i> | 209 | 103-E1 |
| TURBULENT CONVECTION WITH OVERSHOOTING: REYNOLDS STRESS APPROACH <i>V. M. Canuto</i> | 218 | 103-F1 |
| RAPID OSCILLATIONS IN CATAclySMIC VARIABLES. VIII. YY DRACONIS (= 3A 1148 + 719) <i>J. Patterson, D. A. Schwartz, J. P. Pye, W. P. Blair, G. A. Williams, & J.-P. Caillault</i> | 233 | 103-G3 |
| THE RING AROUND SN 1987A AND ROTATION OF THE PROGENITOR <i>Y. Eriguchi, H. Yamaoka, K. Nomoto, & M. Hashimoto</i> | 243 | 104-A1 |
| VLA OBSERVATIONS OF 1612 AND 1665 MHz OH MASERS ASSOCIATED WITH IRC + 10420 <i>G. E. Nedoluha & P. F. Bowers</i> | 249 | 104-A9 |
| THE HOPKINS ULTRAVIOLET TELESCOPE: PERFORMANCE AND CALIBRATION DURING THE ASTRO-1 MISSION <i>Arthur F. Davidsen, Knox S. Long, Samuel T. Durrance, William P. Blair, Charles W. Bowers, Steven J. Conard, Paul D. Feldman, Henry C. Ferguson, Glen H. Fountain, Randy A. Kimble, Gerard A. Kriss, H. Warren Moos, & Kenneth A. Potocki</i> | 264 | 104-C1 |
| ON THE FORM OF THE 1987 HYDROGEN SPECTRUM IN THE OUTER HELIOSPHERE <i>J. P. L. Reinecke & H. Moraal</i> | 272 | 104-D1 |
| ORIGIN OF $^{180\text{m}}\text{Tl}$ AND THE TEMPERATURE OF THE s-PROCESS <i>Zs. Németh, F. Käppler, & G. Reffo</i> | 277 | 104-D7 |
| VACUUM ULTRAVIOLET EXTINCTION MEASUREMENTS ON COSMIC DUST ANALOG CARBON GRAINS <i>L. Colangeli, A. Blanco, S. Fonti, & E. Bussoletti</i> | 284 | 104-E1 |
| ZODIACAL EMISSION. III. DUST NEAR THE ASTEROID BELT <i>William T. Reach</i> | 289 | 104-E7 |
| THE SIMULATED FEATURES OF HELIOSPHERIC COSMIC-RAY MODULATION WITH A TIME-DEPENDENT DRIFT MODEL. III. GENERAL ENERGY DEPENDENCE <i>M. S. Potgieter & J. A. Le Roux</i> | 300 | 104-F5 |
| ON POTENTIAL FIELD MODELS OF THE SOLAR CORONA <i>Y.-M. Wang & N. R. Sheeley, Jr.</i> | 310 | 104-G1 |
| THE FATE OF ^7Be IN THE SUN <i>C. W. Johnson, E. Kolbe, S. E. Koonin, & K. Langanke</i> | 320 | 105-A1 |
| STANDARD SOLAR MODEL. II. g-MODES <i>D. B. Guenther, P. Demarque, M. H. Pinsonneault, & Y.-C. Kim</i> | 328 | 105-A10 |
| ELECTRON IMPACT POLARIZATION OF ATOMIC SPECTRAL LINES. I. A GENERAL THEORETICAL SCHEME <i>Silvano Fineschi & Egidio Landi Degl'Innocenti</i> | 337 | 105-B6 |
| A MODIFIED EDDINGTON-BARBIER RELATION IN HIGHLY COHERENT RESONANCE-LINE WINGS <i>K. G. Gayley</i> | 353 | 105-C9 |
| ATMOSPHERIC FLUCTUATIONS: EMPIRICAL STRUCTURE FUNCTIONS AND PROJECTED PERFORMANCE OF FUTURE INSTRUMENTS <i>M. Bester, W. C. Danchi, C. G. Degiacomi, L. J. Greenhill, & C. H. Townes</i> | 357 | 105-D1 |
| THE CASE FOR LIQUID MIRRORS IN ORBITING TELESCOPES <i>Ermanno F. Borra</i> | 375 | 105-E7 |

1992 JUNE 20, Number 2

| | | |
|--|-----|--------|
| LARGE-SCALE ROTATIONAL PERTURBATIONS OF A FRIEDMANN UNIVERSE WITH COLLISIONLESS MATTER AND PRIMORDIAL MAGNETIC FIELDS <i>Anton Rebhan</i> | 385 | 107-B6 |
|--|-----|--------|

CONTENTS

v

| | Page | Fiche |
|--|------|---------|
| COSMIC CURVATURE AND CONDENSATION <i>Martin Harwit</i> | 394 | 107-C1 |
| GRAVITATIONAL FIELD FLUCTUATIONS IN WEAKLY CLUSTERED SYSTEMS <i>V. Antonuccio-Delogu & F. Atrio-Barandela</i> | 403 | 107-C12 |
| THE CLUSTER CORRELATION FUNCTION: CONSISTENT RESULTS FROM AN AUTOMATED SURVEY <i>Neta A. Bahcall & Michael J. West</i> | 419 | 107-E1 |
| GRAVITATIONAL MICROLENSING: THE EFFECT OF A SINGLE LENS AND THE IMPACT OF SPARSE SAMPLING <i>Joachim Wambsganss</i> | 424 | 107-E8 |
| OBSERVATIONS OF 10 FAINT QUASAR CANDIDATES IN THE FIELD OF THE TOLOLO 1037 - 2703/1038 - 2712 QUASAR PAIR <i>Peter Jakobsen & M. A. C. Perryman</i> | 432 | 107-F3 |
| EXTENDING THE MACHO SEARCH TO $\sim 10^6 M_{\odot}$ <i>Andrew Gould</i> | 442 | 107-G1 |
| ON THE ERROR ESTIMATES OF CORRELATION FUNCTIONS <i>H. J. Mo, Y. P. Jing & G. Börner</i> | 452 | 107-G13 |
| THE EVOLUTION OF COCOONS SURROUNDING LIGHT, EXTRAGALACTIC JETS <i>Denis F. Cioffi & John M. Blondin</i> | 458 | 108-A7 |
| SELF-SIMILAR EVOLUTION OF MAGNETIZED PLASMAS. I. QUASI-STATIC SOLUTION <i>Wei-Hong Yang</i> | 465 | 108-B1 |
| STEPS TOWARD DETERMINATION OF THE SIZE AND STRUCTURE OF THE BROAD-LINE REGION IN ACTIVE GALACTIC NUCLEI. III. FURTHER OBSERVATIONS OF NGC 5548 AT OPTICAL WAVELENGTHS <i>B. M. Peterson, D. Alloin, D. Axon, T. J. Balonek, R. Bertram, T. A. Boroson, J. A. Christensen, S. D. Clements, M. Dietrich, M. Elvis, A. V. Filippenko, C. M. Gaskell, C. A. Haswell, J. P. Huchra, N. Jackson, W. Kollatschny, K. T. Korista, N. J. Lane, R. J. Leacock, S.-N. Lin, M. A. Malkan, A. S. Monk, M. V. Penston, R. W. Pogge, A. Robinson, E. I. Rosenblatt, J. C. Shields, A. G. Smith, G. M. Stirpe, W.-H. Sun, T. J. Turner, R. M. Wagner, B. J. Wilkes, & B. J. Wills</i> | 470 | 108-B7 |
| HOPKINS ULTRAVIOLET TELESCOPE OBSERVATIONS OF THE FAR-ULTRAVIOLET SPECTRUM OF NGC 4151 <i>G. A. Kriss, A. F. Davidsen, William P. Blair, C. W. Bowers, W. V. Dixon, S. T. Durrance, P. D. Feldman, H. C. Ferguson, R. C. Henry, R. A. Kimble, J. W. Kruk, Knox S. Long, H. W. Moos, & O. Vancura</i> | 485 | 108-C10 |
| ON THE USE OF FORBIDDEN LINES AS DENSITY DIAGNOSTICS IN STRATIFIED MEDIA <i>Pedro N. Saftler</i> | 492 | 108-D5 |
| A COMPLETELY SAMPLED APERTURE SYNTHESIS MAP OF THE CO EMISSION IN M51 <i>David S. Adler, K. Y. Lo, Melvyn C. H. Wright, Gustav Rydbeck, Raymond L. Plante, & Ronald J. Allen</i> | 497 | 108-D11 |
| A DEEP IMAGE OF THE DIFFUSE SOFT X-RAY BACKGROUND AT THE GALACTIC PLANE <i>Qingde Wang</i> | 509 | 108-E11 |
| ARE THERE TWO KINDS OF BLUE STRAGGLERS IN GLOBULAR CLUSTERS? <i>Charles D. Bailyn</i> | 519 | 108-F9 |
| SETTING THE CLOCK OF STELLAR MODELS <i>G. Bertelli, A. Bressan, & C. Chiosi</i> | 522 | 108-F13 |
| LONG-TERM PULSAR FLUX MONITORING AND REFRACTIVE INTERSTELLAR SCINTILLATION <i>Victoria M. Kaspi & Daniel R. Stinebring</i> | 530 | 108-G8 |
| A SOURCE MODEL FOR THE L134N MOLECULAR CLOUD <i>Daryl A. Swade & F. Peter Schloerb</i> | 543 | 109-A9 |
| A SURVEY OF CCS, HC ₃ N, HC ₃ N, AND NH ₃ TOWARD DARK CLOUD CORES AND THEIR PRODUCTION CHEMISTRY <i>Hiroko Suzuki, Satoshi Yamamoto, Masatoshi Ohishi, Norio Kaifu, Shin-ichi Ishikawa, Yasuhiro Hirahara, & Shuro Takano</i> | 551 | 109-B4 |
| THE DIFFUSE INTERSTELLAR CLOUD TOWARD HD 179406 (20 AQUILAE) <i>Margaret Murray Hanson, Theodore P. Snow, & John H. Black</i> | 571 | 109-C12 |
| STELLAR WIND PALEONTOLOGY. II. FAINT HALOS AND HISTORICAL MASS EJECTION IN PLANETARY NEBULAE <i>Bruce Balick, Guillermo Gonzalez, Adam Frank, & George Jacoby</i> | 582 | 109-D11 |
| HIGH SPATIAL RESOLUTION OBSERVATIONS OF HCO ⁺ IN THE NGC 7027 MOLECULAR ENVELOPE <i>S. Deguchi, H. Izumiura, Nguyen-Q-Rieu, K. M. Shibata, N. Ukita, & I. Yamamura</i> | 597 | 109-F1 |
| HIGH-VELOCITY HCO ⁺ EMISSION ASSOCIATED WITH THE DR 21 MOLECULAR OUTFLOW <i>Rognvald P. Garden & John E. Carlstrom</i> | 602 | 109-F7 |

| | Page | Fiche |
|---|------|---------|
| THE POWERING SOURCES OF THE MOLECULAR OUTFLOWS IN THE AFGL 437, AFGL 5142, AND AFGL 5157 REGIONS <i>José M. Torrelles, José F. Gómez, Guillem Anglada, Robert Estalella, Rainer Mauersberger, & Carlos Eiroa</i> | 616 | 109-G9 |
| INITIATION OF BIPOLAR FLOWS BY MAGNETIC FIELD TWISTING IN PROTOSTELLAR NEBULAE <i>William I. Newman, Alice L. Newman, & Richard V. E. Lovelace</i> | 622 | 110-A1 |
| THE NONEXPONENTIAL EVOLUTION OF PULSAR MAGNETIC FIELDS <i>Shigeto Wakatsuki, Atsushi Hikita, Naohiro Sato, & Naoki Itoh</i> | 628 | 110-A10 |
| TWO-DIMENSIONAL SLOW SHOCK RECONNECTION <i>Y. C. Whang</i> | 637 | 110-B9 |
| DYNAMO ACTION IN STRATIFIED CONVECTION WITH OVERSHOOT <i>Åke Nordlund, Axel Brandenburg, Richard L. Jennings, Michel Rieutord, Juha Ruokolainen, Robert F. Stein, & Ilkka Tuominen</i> | 647 | 110-C6 |
| GEOMETRICALLY THIN, HOT ACCRETION DISKS: TOPOLOGY OF THE THERMAL EQUILIBRIUM CURVES <i>Masaaki Kusunose & Shin Mineshige</i> | 653 | 110-D1 |
| IS THE OORT A-VALUE A UNIVERSAL GROWTH RATE LIMIT FOR ACCRETION DISK SHEAR INSTABILITIES? <i>Steven A. Balbus & John F. Hawley</i> | 662 | 110-D12 |
| THE EVOLUTION OF INTERMEDIATE-MASS PROTOSTARS. II. INFLUENCE OF THE ACCRETION FLOW <i>Francesco Palla & Steven W. Stahler</i> | 667 | 110-E5 |
| SUPERHUMP TIMING IN SU URSAE MAJORIS SYSTEMS: IMPLICATIONS OF THE DATA FOR THE PRECESSING DISK MODEL <i>Lawrence A. Molnar & Henry A. Kobulnicky</i> | 678 | 110-F3 |
| INTERSTELLAR POLARIZATION FROM 3 TO 5 MICRONS IN REDDENED STARS <i>P. G. Martin, A. J. Adamson, D. C. B. Whittet, J. H. Hough, J. A. Bailey, S.-H. Kim, S. Sato, M. Tamura, & T. Yamashita</i> | 691 | 110-G3 |
| 8-14 MICRON SPECTROSCOPY OF CARBON STARS ASSOCIATED WITH SILICATE DUST <i>Paul D. LeVan, G. C. Sloan, Irene R. Little-Marenin, & G. L. Grasdale</i> | 702 | 111-A1 |
| UPPER LIMIT TO THE MASS OF PULSATIONALLY STABLE STARS WITH UNIFORM CHEMICAL COMPOSITION <i>Richard B. Stothers</i> | 706 | 111-A7 |
| MAP-BASED TRIGONOMETRIC PARALLAXES OF OPEN CLUSTERS. II. THE HYADES: 51 TAURI <i>George Gatewood, Michael Castelaz, Joost Kiewiet de Jonge, Timothy Persinger, John Stein, & Bruce Stephenson</i> | 710 | 111-A12 |
| ELEMENT ABUNDANCES AND PLASMA PROPERTIES IN A CORONAL POLAR PLUME <i>K. G. Widing & U. Feldman</i> | 715 | 111-B5 |
| A REGULARIZATION METHOD FOR EXTRAPOLATION OF SOLAR POTENTIAL MAGNETIC FIELDS <i>G. Allen Gary & Z. E. Musielak</i> | 722 | 111-C1 |
| OBSERVATIONS OF HIGH-FREQUENCY AND HIGH-WAVENUMBER SOLAR OSCILLATIONS <i>D. N. Fernandes, P. H. Scherrer, T. D. Tarbell, & A. M. Title</i> | 736 | 111-D1 |
| LOCAL ACOUSTIC DIAGNOSTICS OF THE SOLAR INTERIOR <i>D. C. Braun, C. A. Lindsey, Y. Fan, & S. M. Jefferies</i> | 739 | 111-D7 |
| CATALOG-TO-CATALOG REDUCTIONS: RESULTS FOR THE FK, N30, AND GC CATALOGS <i>L. G. Taff, B. Bucciarelli, & M. G. Lattanzi</i> | 746 | 111-E9 |
| OPTIMAL GRAZING INCIDENCE OPTICS AND ITS APPLICATION TO WIDE-FIELD X-RAY IMAGING <i>Christopher J. Burrows, Richard Burg, & Riccardo Giacconi</i> | 760 | 111-F13 |
| ABSTRACTS OF THE ASTROPHYSICAL JOURNAL SUPPLEMENT SERIES, 1992 JULY | | |
| IDENTIFICATION AND SPECTROSCOPY OF RADIO SOURCES FROM THE THIRD BOLOGNA SURVEY <i>D. J. Thompson, S. Djorgovski, M. Vigotti, & G. Grueff</i> | 766 | 111-G7 |
| NORTHERN DWARF AND LOW SURFACE BRIGHTNESS GALAXIES. II. THE GREEN BANK NEUTRAL HYDROGEN SURVEY <i>Stephen E. Schneider, Trinh X. Thuan, Jeffrey G. Mangum, & John Miller</i> | 766 | 111-G7 |
| A SOUTHERN SKY SURVEY OF THE PECULIAR VELOCITIES OF 1355 SPIRAL GALAXIES <i>D. S. Mathewson, V. L. Ford, & M. Buchhorn</i> | 767 | 111-G8 |
| I-BAND CCD SURFACE PHOTOMETRY OF SPIRAL GALAXIES IN 16 NEARBY CLUSTERS <i>Mingsheng Han</i> | 767 | 111-G8 |
| RADIO AND INFRARED EMISSION FROM MARKARIAN STARBURST GALAXIES <i>Peter C. Stine</i> | 767 | 111-G8 |
| THE BROAD EMISSION LINE AND CONTINUUM VARIATIONS OF SEYFERT GALAXIES. I. TIME SCALES AND AMPLITUDES <i>Edward I. Rosenblatt, Matthew A. Malkan, Wallace L. W. Sargent, & Anthony C. S. Readhead</i> | 768 | 111-G9 |

CONTENTS

vii

| | Page | Fiche |
|---|------|---------|
| A COMPENDIUM OF RADIO SPECTRA AND LUMINOSITIES FOR THREE COMPLETE SAMPLES OF RADIO SOURCES <i>T. Herbig & A. C. S. Readhead</i> | 768 | 111-G9 |
| ULTRAVIOLET AND RADIO OBSERVATIONS OF MILKY WAY HALO GAS <i>Laura Danly, Felix J. Lockman, Marilyn R. Meade, & Blair D. Savage</i> | 768 | 111-G9 |
| OXYGEN-ENHANCED MODELS FOR GLOBULAR CLUSTER STARS. II. ISOCHRONES AND LUMINOSITY FUNCTIONS <i>Peter A. Bergbusch & Don A. Vandenberg</i> | 769 | 111-G10 |
| OXYGEN-ENHANCED MODELS FOR GLOBULAR CLUSTER STARS. III. HORIZONTAL-BRANCH SEQUENCES <i>Ben Dorman</i> | 769 | 111-G10 |
| OPTICAL AND INFRARED IMAGING OF STARS IN THE METAL-RICH GLOBULAR CLUSTERS NGC 6304 AND NGC 6316 <i>T. J. Davidge, William E. Harris, T. J. Bridges, & D. A. Hanes</i> | 770 | 111-G11 |
| A COMPLETE CO SURVEY OF THE CYGNUS X REGION <i>Helen O. Leung & P. Thaddeus</i> | 770 | 111-G11 |
| THE ORBITAL PARAMETERS AND THE <i>IUE</i> SPECTRUM OF THE SINGLE-LINED SPECTROSCOPIC BINARY HD 698 <i>Jorge Sahade, Rodolfo Barbá, & Yoji Kondo</i> | 770 | 111-G11 |
| THE PHOTOMETRIC PERIOD OF THE RECURRENT NOVA T PYXIDIS <i>Bradley E. Schaefer, Arlo U. Landolt, Nikolaus Vogt, David Buckley, Brian Warner, Alistair R. Walker, & Howard E. Bond</i> | 771 | 111-G12 |
| PHYSICAL PROPERTIES OF Be STAR ENVELOPES FROM BALMER AND Fe II EMISSION LINES <i>Arne Slettebak, George W. Collins II, & Ryland Truax</i> | 772 | 111-G13 |
| MODELS OF WHITE DWARFS DISTORTED BY DIFFERENTIAL ROTATION AND MAGNETIC FIELDS <i>V. S. Geroyannis & A. A. Hadjopoulos</i> | 772 | 111-G13 |
| THE POTENTIAL FOR PLASMA DIAGNOSTICS FROM STELLAR EXTREME-ULTRAVIOLET OBSERVATIONS <i>U. Feldman, P. Mandelbaum, J. F. Seely, G. A. Doschek, & H. Gursky</i> | 773 | 111-G14 |
| INDEX TO VOLUMES 390-392, PARTS 1 AND 2 | i | 112-B1 |

